

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCWHS2001</b> – Pre-Requisite            Apply WHS requirements, policies and procedures in the construction industry</p>	<p>To demonstrate competency in this unit, a person must apply WHS requirements, policies and procedures on three separate and different occasions in the construction industry.</p> <p>In doing this, the person must meet the performance criteria for this unit.</p>
<p><b>CPCCCM2012</b> - Work safely at heights</p>	<p>To demonstrate competency in this unit, a candidate must meet the elements and performance criteria by working safely at heights above 2 m on three occasions, using different fall protection equipment/devices on each occasion.</p> <p>One occasion must include a restraint technique (anchor point) system with a minimum of three anchor points.</p> <p>The candidate must access the work area, traverse between anchor points and exit from the work area.</p>
<p><b>CPCCCM2008</b> - Erect and dismantle restricted height scaffolding</p>	<p>A person who demonstrates competency in this unit must erect and dismantle one modular scaffolding system up to four metres, including three bays (one with a return), one lift with ladder, and fall and edge protection.</p> <p>In doing this, the person must meet the performance criteria for this unit.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPC30620</b> - Operate elevated work platforms up to 11 metres</p>	<p>A person demonstrating competency in this unit must satisfy all of the elements, performance criteria and foundation skills of this unit. The person must also set up and operate each of the following types of elevated work platforms (EWPs) at two different locations on the site, including moving the plant around the work site safely:</p> <ul style="list-style-type: none"> <li>▪ self-propelled boom lift (BL)</li> <li>▪ scissor lift (SL).</li> </ul> <p>The following functions and controls must be performed while operating both BL and SL:</p> <ul style="list-style-type: none"> <li>▪ boom up and down</li> <li>▪ operate attachments</li> <li>▪ operate outriggers, where fitted.</li> </ul> <p>The following functions and controls must be performed while operating the BL:</p> <ul style="list-style-type: none"> <li>▪ slew left and right</li> <li>▪ telescope in and out.</li> </ul> <p>At least one EWP must be set up and operated on uneven terrain, using outriggers as required.</p> <p>In doing the above, the person must fit harnesses and attach lanyards as follows:</p> <ul style="list-style-type: none"> <li>▪ energy or shock absorbers, which must be used with all fall arrest equipment</li> <li>▪ lanyards, which must be attached to the harness installed so that the maximum distance a person equipped with a harness would free fall before the fall arrest system takes effect is two metres.</li> </ul> <p>In doing the above, the person must also:</p> <ul style="list-style-type: none"> <li>▪ establish and apply a rescue plan</li> <li>▪ apply safe operating procedures, including conducting operational risk assessment and treatments associated with:</li> <li>▪ earth leakage boxes</li> <li>▪ lighting</li> <li>▪ power cables, including overhead service trays, cables and conduits</li> <li>▪ restricted access barriers</li> <li>▪ surrounding structures</li> </ul>

<p><b>CPCCCM3001 (continued) -</b>          Operate elevated work platforms up to 11 metres</p>	<ul style="list-style-type: none"> <li>▪ traffic control</li> <li>▪ trip hazards work site visitors and the public working at heights up to 11 metres</li> <li>▪ working in proximity to others</li> <li>▪ working with dangerous materials</li> <li>▪ locate, interpret and apply information relating to job requirements, including:             <ul style="list-style-type: none"> <li>▪ diagrams and sketches</li> <li>▪ environmental requirements, including:                 <ul style="list-style-type: none"> <li>▪ clean-up protection</li> <li>▪ noise and dust management</li> <li>▪ vibration management</li> <li>▪ waste management</li> </ul> </li> </ul> </li> <li>▪ quality requirements relevant to EWP work</li> <li>▪ instructions issued by authorised organisational and external personnel</li> <li>▪ manufacturer specifications, operator manual, and instructions where specified</li> <li>▪ signage</li> <li>▪ industry standards and job specifications</li> <li>▪ verbal, written and graphical instructions</li> <li>▪ work schedules, plans and specifications</li> <li>▪ comply with site safety plan and health and safety legislation, regulations and codes of practice applicable to workplace operations</li> <li>▪ safely and effectively use tools, plant and equipment relevant to EWP work</li> <li>▪ ensure safe working load of EWP is not exceeded</li> <li>▪ communicate with others on the work site using verbal and non-verbal communication and communication technology</li> <li>▪ work effectively and safely with others on the work site.</li> </ul>
---	--

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCOM1015</b> - Carry out measurements and calculations</p>	<p>To demonstrate competency, a candidate must satisfy all the elements, performance criteria and foundation skills of this unit by:</p> <ul style="list-style-type: none"> <li>▪ taking basic measurements and performing basic calculations to determine quantities of materials for construction work using each of the following:               <ul style="list-style-type: none"> <li>▪ weight</li> <li>▪ area</li> <li>▪ volume</li> <li>▪ perimeter</li> <li>▪ circumference</li> <li>▪ ratio</li> <li>▪ percentage</li> </ul> </li> <li>▪ demonstrating converting measurements in metres to millimetres and measurements in millimetres to metres.</li> </ul> <p>All work must be performed to the standard required in the workplace.</p>
<p><b>CPCCOM2001</b> – Read and interpret plans and specifications</p>	<p>To demonstrate competency, a candidate must satisfy all the elements, performance criteria and foundation skills of this unit by reading, interpreting and describing, at a basic level, the requirements for a proposed construction project from a set of plans/drawings and specifications.</p> <p>All work must be performed to the standard required in the workplace and must comply with work health and safety (WHS) requirements.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCOM1014</b> - Conduct workplace communication</p>	<p>To demonstrate competency, a candidate must satisfy all the elements, performance criteria and foundation skills of this unit by:</p> <ul style="list-style-type: none"> <li>▪ conveying and receiving information and instructions to and from others</li> <li>▪ accessing, interpreting and sequencing information</li> <li>▪ presenting information in verbal and written reports</li> <li>▪ entering information into workplace records and documents</li> <li>▪ participating in simple meeting processes.</li> </ul> <p>All work must be performed to the standard required in the workplace.</p>
<p><b>CPCCOM1012</b> - Work effectively and sustainably in the construction industry</p>	<p>To demonstrate competency, a candidate must satisfy all the elements, performance criteria and foundation skills of this unit by:</p> <ul style="list-style-type: none"> <li>▪ working effectively as a member of a team to plan and perform a construction task</li> <li>▪ working with members of a team to review the team’s purpose, roles, responsibilities, goals, plans and objectives</li> <li>▪ listing own existing skills and the additional skills required for a selected tradesperson or skilled operator role in the construction industry</li> <li>▪ identifying environmental and resource efficiency requirements that apply to entry level roles in the construction industry</li> <li>▪ preparing basic reports on each of an environmental hazard and a resource efficiency issue.</li> </ul> <p>All work must be performed to the standard required in the workplace.</p>
<p><b>CPCCOM1013</b> - Plan and organise work</p>	<p>To demonstrate competency, a candidate must satisfy all the elements, performance criteria and foundation skills of this unit by planning and organising a basic work task on a construction site that includes a minimum of ten component tasks and a team of at least three people.</p> <p>All work must be performed to the standard required in the workplace and must comply with appropriate work health and safety (WHS) and environmental requirements, workplace requirements, drawings and specifications.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD2011</b> - Handle and store painting and decorating materials</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by safely handling and storing painting and decorating materials for two painting and decorating activities, including, on each occasion:</p> <ul style="list-style-type: none"> <li>▪ a range of coatings</li> <li>▪ two each of:               <ul style="list-style-type: none"> <li>▪ cleaning solvents</li> <li>▪ fillers</li> <li>▪ adhesives</li> </ul> </li> <li>▪ wall and decorative covering materials.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p>CPCCPD2012 – Use painting and decorating tools and equipment</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by using, maintaining and storing all the tools and equipment listed below over the course of three separate painting and decorating tasks, with each task involving an area of at least six square metres.:</p> <ul style="list-style-type: none"> <li>▪ brushware and accessories</li> <li>▪ buckets</li> <li>▪ covers and drop sheets</li> <li>▪ duster brushes</li> <li>▪ filling knives and blades</li> <li>▪ hammers and nail punches</li> <li>▪ hand sanders</li> <li>▪ heat guns</li> <li>▪ mechanical sanders, including:               <ul style="list-style-type: none"> <li>▪ belt</li> <li>▪ disc</li> <li>▪ orbital</li> <li>▪ random orbital</li> </ul> </li> <li>▪ paint pots</li> <li>▪ paint stirrers</li> <li>▪ putty knives</li> <li>▪ roller frames and accessories</li> <li>▪ scrapers</li> <li>▪ wire brushes</li> <li>▪ high-pressure washers</li> <li>▪ water treatment units.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD3022</b> – Apply paint by brush and roller</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by applying paint finishes by brush, roller or a brush roller combination to a range of surfaces, including:</p> <ul style="list-style-type: none"> <li>▪ one room, at a minimum of three metres by three metres, including the ceiling</li> <li>▪ a timber panel door:               <ul style="list-style-type: none"> <li>▪ one oil based application</li> <li>▪ one water based application</li> </ul> </li> <li>▪ a flush door:               <ul style="list-style-type: none"> <li>▪ one oil based application</li> <li>▪ one water based application</li> </ul> </li> <li>▪ a timber window, including architrave and frame with moving parts (e.g. box frame, hopper and awning)</li> <li>▪ a timber surface to minimum of one square metre using two pack.</li> </ul> <p>All finishes must be to specification, including in terms of defects, thickness, sheen, opacity, colour and sharpness.</p> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>



## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p>CPCCPD3035 – Prepare uncoated surfaces for painting</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by preparing a minimum of one square metre of each of the following uncoated surfaces for painting:</p> <ul style="list-style-type: none"> <li>▪ an external timber surface</li> <li>▪ an internal timber surface</li> <li>▪ a plaster surface</li> <li>▪ a metal surface</li> <li>▪ a masonry surface</li> <li>▪ a concrete floor</li> <li>▪ exterior cement sheet cladding.</li> </ul> <p>In preparing these surfaces the following equipment must be used:</p> <ul style="list-style-type: none"> <li>▪ drop sheets</li> <li>▪ duster brushes</li> <li>▪ filling knives and blades</li> <li>▪ hand sanders</li> <li>▪ mechanical sanders</li> <li>▪ water blasters</li> <li>▪ nail punches</li> <li>▪ putty knives</li> <li>▪ scrapers</li> <li>▪ wire brushes</li> <li>▪ moisture meter.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of Australian Standards, work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.</p>

Unit of Competency	Performance Evidence
<p><b>CPCCPD3021</b> – Prepare existing costed surface for painting</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by preparing the following previously coated surfaces for painting:</p> <ul style="list-style-type: none"> <li>▪ an external timber surface to a minimum of two square metres</li> <li>▪ two internal surfaces               <ul style="list-style-type: none"> <li>▪ one plaster to a minimum of two square metres</li> <li>▪ one timber to a minimum of two square metres</li> </ul> </li> <li>▪ a metal surface to a minimum of two lineal metres</li> <li>▪ a masonry surface to a minimum of two square metres</li> </ul> <p>In preparing these surfaces the following equipment must be used:</p> <ul style="list-style-type: none"> <li>▪ chemical strippers</li> <li>▪ drop sheets</li> <li>▪ duster brushes</li> <li>▪ filling knives and blades</li> <li>▪ hammers</li> <li>▪ hand sanders</li> <li>▪ heat removal equipment</li> <li>▪ mechanical sanders</li> <li>▪ nail punches</li> <li>▪ scrapers</li> <li>▪ water blasters</li> <li>▪ wire brushes.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of Australian Standards, work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p>CPCCPD3024 – Apply paint by spray</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by:</p> <ul style="list-style-type: none"> <li>▪ applying paint by spray using one alkyd or solvent paint system to a surface of at least six square metres</li> <li>▪ airless application and back rolling of acrylic paint system to a surface of at least 50 square metres of:               <ul style="list-style-type: none"> <li>▪ plaster surface</li> <li>▪ masonry surface</li> <li>▪ timber surface</li> </ul> </li> <li>▪ applying paint by spray using high volume, low pressure (HVLP) spray, or air assisted airless spray, to a surface of at least six square metres</li> <li>▪ applying paint by spray to both faces of a standard size door.</li> </ul> <p>The above work must include applying paint by spray to walls, ceilings, architraves and skirting.</p> <p>All work must be to specification and be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD2013</b> - Remove and replace doors and door and window components</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by safely and effectively removing and replacing as a minimum:</p> <ul style="list-style-type: none"> <li>▪ one door with an independent screen</li> <li>▪ furniture from two different door types:               <ul style="list-style-type: none"> <li>▪ closers</li> <li>▪ handles</li> <li>▪ hinges</li> <li>▪ latches</li> <li>▪ locks</li> <li>▪ safety chains</li> <li>▪ screens</li> </ul> </li> <li>▪ furniture from two different window types with at least one having independent screens:               <ul style="list-style-type: none"> <li>▪ brackets</li> <li>▪ catches</li> <li>▪ handles</li> <li>▪ locks</li> <li>▪ screens</li> <li>▪ stays.</li> </ul> </li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPB3010</b> – Manually sand plaster work</p>	<p>To demonstrate competency, a candidate must satisfy all of the elements, performance criteria and foundation skills of this unit by manually sanding plaster work, including a minimum:</p> <ul style="list-style-type: none"> <li>▪ two vertical joints between standard-size plasterboard sheets</li> <li>▪ two horizontal joints between standard-size plasterboard sheets</li> <li>▪ two vertical corner joints between standard-size plasterboard sheets</li> <li>▪ two internal corner joints between standard-size plasterboard wall sheets and ceiling sheets</li> <li>▪ two external corner joints between standard-size plasterboard wall sheets and ceiling sheets</li> <li>▪ a 300 mm x 300 mm niche.</li> </ul> <p>All work must be performed to the standard required in the workplace and must comply with Commonwealth and state/territory laws and regulations, Australian Standards, work health and safety (WHS) and environmental requirements, manufacturers' specifications, and workplace requirements.</p>
<p><b>CPCCPB3026</b> – Erect and maintain trestle and plank systems</p>	<p>To demonstrate competency, a candidate must satisfy all of the elements, performance criteria and foundation skills of this unit by erecting two trestle systems of a minimum 450mm width platform and 3m length with handrail system.</p> <p>All work must be performed to the standard required in the workplace and must comply with Commonwealth and state/territory laws and regulations, national construction codes, Australian Standards, work health and safety (WHS) and environmental requirements, manufacturer's specifications, and workplace requirements.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD3026</b> – Apply stains and clear timber finishes</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by preparing surfaces and applying stains and clear timber finishes to:</p> <ul style="list-style-type: none"> <li>▪ two different previously-treated timber surfaces, each a minimum of two square metres or two lineal metres</li> <li>▪ three different bare timber surfaces, one with tannin stains, each a minimum of two square metres or two lineal metres.</li> </ul> <p>In completing these tasks, a minimum of the following materials must be used:</p> <ul style="list-style-type: none"> <li>▪ timber bleach</li> <li>▪ one oil-based stain product</li> <li>▪ one water-based timber stain</li> <li>▪ one spirit-based timber stain</li> <li>▪ one water-based clear finish</li> <li>▪ one oil-based clear finish</li> <li>▪ one liming white finish</li> <li>▪ sanding sealer</li> <li>▪ stopping and filling applications.</li> </ul> <p>All finishes must be to specification.</p> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD3031</b> – Work safely with lead-painted surfaces in the painting industry</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by:</p> <ul style="list-style-type: none"> <li>▪ preparing at least 6 square metres of paint containing lead for covering coating</li> <li>▪ applying a chemical stripping treatment to of at least 2 square metres/3 lineal metres of paint containing lead</li> <li>▪ applying a non-chemical stripping treatment to at least 2 square metres/3 lineal metres of paint containing lead</li> <li>▪ using a paint system to cover coat or encapsulate at least 2 square metres/3 lineal metres of paint containing lead.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>
<p><b>CPCCPD3036</b> – Work safely to encapsulate non-friable asbestos in the painting industry</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by using a paint system to encapsulate at least six square metres of non-friable asbestos.</p> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>
<p><b>CPCCPD3029</b> – Remove graffiti and apply anti-graffiti coatings</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by:</p> <ul style="list-style-type: none"> <li>▪ removing graffiti using two approved removal methods, from two different substrates, each at least two square metres</li> <li>▪ preparing and applying one sacrificial anti-graffiti coating on a masonry surface of at least two square metres</li> <li>▪ preparing and applying one two-pack non-sacrificial anti-graffiti coating on a metal surface of at least two square metres.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>
<p><b>CPCCPD3023</b> – Apply texture coat paint finished by brush, roller and spray</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by preparing and applying texture coat paints using:</p> <ul style="list-style-type: none"> <li>▪ brush and roller</li> <li>▪ complete a wall from floor to ceiling with two hard edges to a minimum of six square metres</li> <li>▪ by spray to: <ul style="list-style-type: none"> <li>▪ complete a wall, from floor to ceiling with two hard edges to a minimum of six square metres</li> </ul> </li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCPD3030</b> – Apply protective paint coating</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by preparing and applying two different protective coatings, at least one of which is a two-pack system:</p> <ul style="list-style-type: none"> <li>▪ water-based protective paint coating systems to a concrete surface of at least one square metre</li> <li>▪ solvent-based protective paint coating systems to a metal surface of at least one square metre.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>
<p><b>CPCCPD3028</b> – Apply decorative paint finishes</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by completing the following decorative finishes to specifications:</p> <ul style="list-style-type: none"> <li>▪ a mirror finish to one side of a flat panel door</li> <li>▪ a mirror finish to one side of a four-panel door</li> <li>▪ two broken colour effects on a minimum of a six square metre surface, including an internal corner</li> <li>▪ two modern acrylic finishes, each on a minimum six square metre surface</li> <li>▪ use of a minimum of three lineal metres of lining within a decorative finish on a minimum six square metre surface</li> <li>▪ a basic stencil finish repeated six times and including an internal corner</li> <li>▪ basic imitation marbling, imitation wood graining, each on a on a minimum of a two square metre surface</li> <li>▪ basic gilding special effects on a ceiling rose or decorative feature.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>
<p><b>CPCCPD3025</b> – Match specific paint colours</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by colour-matching a minimum of four previously-painted samples:</p> <ul style="list-style-type: none"> <li>▪ two different solvent-based paints</li> <li>▪ two different latex/acrylic paints.</li> </ul> <p>The above samples must include:</p> <ul style="list-style-type: none"> <li>▪ a minimum of two samples in-situ</li> <li>▪ two different sheen levels</li> <li>▪ use of a minimum of three colour tints in each colour to be matched.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers’ specifications, and environmental plans and obligations.</p>



## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPC30620-3003</b> – Apply trowelled texture coat finishes</p>	<p>To demonstrate competency, a candidate must satisfy all of the elements, performance criteria and foundation skills of this unit by:</p> <ul style="list-style-type: none"> <li>▪ applying a trowelled texture coat finish to a minimum of 4 square metres of curved wall</li> <li>▪ applying a different trowelled texture coat finish to a minimum of 4 square metres of masonry wall containing an internal and external corner and an opening with a head, reveals and a sill.</li> </ul> <p>All work must be performed to the standard required in the workplace and must comply with laws and regulations, Australian Standards, work health and safety (WHS) and environmental requirements, manufacturers' specifications, workplace requirements, drawings and specifications.</p>
<p><b>CPC30620-3027</b> – Remove and apply wallpaper</p>	<p>To demonstrate competency, a candidate must meet the performance criteria of this unit by:</p> <ul style="list-style-type: none"> <li>▪ removing a minimum of six square metres of wallpaper</li> <li>▪ preparing and applying a minimum of six square metres of lining paper</li> <li>▪ preparing and applying a minimum of six square metres of vinyl wallpaper</li> <li>▪ preparing and applying a minimum of six square metres of unpasted wallpaper.</li> </ul> <p>In removing this wallpaper, the following procedures, products and techniques must be included:</p> <ul style="list-style-type: none"> <li>▪ dry stripping</li> <li>▪ soaking</li> <li>▪ steam stripping</li> </ul> <p>In applying this wallpaper, a minimum of the following must be included:</p> <ul style="list-style-type: none"> <li>▪ walls and internal and external corners</li> <li>▪ a reveal</li> <li>▪ a window</li> <li>▪ an arch</li> <li>▪ walls containing power points and switches</li> <li>▪ a ceiling to a minimum of three metres by three strips wide</li> <li>▪ one set pattern</li> <li>▪ one drop pattern</li> <li>▪ one random pattern.</li> </ul> <p>All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.</p>

## Performance Evidence Guide - CPC30620 Certificate III in Painting and Decorating

Unit of Competency	Performance Evidence
<p><b>CPCCCM3005</b> – Calculate costs of construction work</p>	<p>A person demonstrating competency in this unit must satisfy all of the elements, performance criteria and foundation skills of this unit. The person must also cost three different construction jobs, where the costing includes:</p> <ul style="list-style-type: none"> <li>▪ estimating quantities of material required</li> <li>▪ determining the types and amount of labour required to complete the work</li> <li>▪ estimating time required to complete the work</li> <li>▪ estimating overheads associated with the work</li> <li>▪ totalling all costs and applying profit margin to establish a client quote.</li> </ul> <p>In doing the above work, the person must:</p> <ul style="list-style-type: none"> <li>▪ locate, interpret and apply information, standards and specifications relevant to estimating and costing work</li> <li>▪ calculate final cost for the work and prepare a written quotation for each of the work requirements.</li> </ul>